

Table 4F
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Page: 1
Run Date: 4 / 14 / 11

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
16th Street	7,477	3.7	6.2	83.8	0.3	4.7	1.3	0.0
Aurora	4,076	4.9	80.0	5.5	0.2	7.7	1.7	0.0
Barron Cty	1,131	81.7	5.3	10.0	1.1	0.5	1.4	0.0
Bay Area	876	81.4	0.5	4.7	4.7	0.3	8.4	0.0
Buffalo	435	87.1	0.5	9.9	0.5	0.7	1.4	0.0
Burnett Cty	408	87.7	0.5	2.0	2.0	0.0	7.8	0.0
Calumet Cty	706	63.2	3.3	22.1	0.0	9.1	2.4	0.0
Chippewa	1,371	91.2	0.3	2.6	0.2	1.3	4.4	0.0
City Mad	7,730	27.4	21.5	35.0	0.3	6.9	8.9	0.0
Clark Cty	790	67.1	0.6	29.9	0.1	0.1	2.2	0.0
Columbia Cty	847	77.1	2.7	14.3	0.4	0.2	5.3	0.0
Cudahy	2,882	59.1	5.1	26.7	0.3	1.6	7.3	0.0
Dane Cty	1	*	*	*	*	*	*	*
Dodge Cty	1,389	69.0	0.7	26.1	0.1	0.4	3.7	0.1
Door Cty	501	80.6	2.6	14.4	0.2	0.0	2.2	0.0
Dunn Cty	887	79.4	0.6	7.3	0.1	9.5	3.2	0.0
Eau Claire	2,400	65.0	1.3	9.2	0.5	13.8	10.0	0.0
Family Health	1,076	65.1	0.3	30.5	0.0	0.7	3.3	0.0
Family Plan	3,859	62.7	1.3	9.6	0.5	19.6	6.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4F
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Page: 2
Run Date: 4 / 14 / 11

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Florence Cty	108	90.7	0.0	7.4	0.9	0.0	0.9	0.0
Fond du Lac	2,132	60.9	3.5	25.0	0.0	3.9	6.6	0.0
Forest Cty	241	85.1	0.0	2.9	1.7	0.0	10.4	0.0
GLITC	1,381	6.0	0.0	5.1	77.0	0.1	11.7	0.0
Grant Cty	1,124	91.4	0.8	5.9	0.0	0.4	1.5	0.0
Green Cty	651	78.3	0.8	18.1	0.0	0.6	2.2	0.0
Health	3,671	33.3	18.0	39.0	0.1	0.7	8.9	0.0
Jackson	566	83.9	0.9	8.1	4.6	0.4	2.1	0.0
Jefferson Cty	1,802	54.2	0.9	42.9	0.1	0.3	1.6	0.0
Juneau	1,380	87.0	0.5	6.4	0.1	0.3	5.7	0.0
Kenosha Cty	4,433	35.8	16.9	39.5	0.3	0.5	6.9	0.0
Kewaunee Cty	357	73.4	1.1	22.4	0.3	0.0	2.8	0.0
La Crosse Cty	2,419	64.7	3.6	4.8	0.4	17.0	9.4	0.0
Marinette	1,010	93.4	0.2	3.8	0.5	0.0	2.2	0.0
Menominee	561	0.4	0.0	13.4	16.8	0.0	69.5	0.0
Mil. City	8,421	7.6	56.0	26.2	0.1	5.9	4.1	0.0
MLK	3,132	2.7	83.4	8.7	0.0	0.3	4.9	0.0
Monitowoc	1,620	59.2	2.0	22.8	1.0	8.8	6.2	0.0
Monroe Cty	1,090	75.2	1.0	17.0	0.8	1.1	4.9	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4F
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Page: 3
Run Date: 4 / 14 / 11

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
NEW Comm	6,350	43.7	7.4	35.3	1.7	7.0	4.9	0.0
NHA	4,289	64.8	9.2	23.0	0.1	0.6	2.2	0.0
NWCSA	1,264	78.6	2.2	4.5	1.3	0.6	12.9	0.0
Oconto Cty	684	91.7	0.3	4.8	0.1	0.4	2.6	0.0
Oneida	596	8.7	0.5	21.0	51.8	0.2	17.8	0.0
Oneida Cty	615	89.8	1.3	4.1	0.5	0.3	4.1	0.0
Outagamie	2,674	58.4	2.8	18.1	0.4	13.2	7.1	0.0
Pierce Cty	719	85.8	1.0	6.5	0.4	0.1	6.1	0.0
Polk Cty	1,031	91.6	0.1	4.5	0.5	0.1	3.3	0.0
Portage Cty	1,243	68.5	0.4	13.4	0.0	15.0	2.7	0.0
Price Cty	465	90.5	0.2	3.7	0.4	2.6	2.6	0.0
Racine	1,776	14.4	39.0	39.5	0.1	0.2	6.9	0.0
Rusk Cty	402	88.8	1.2	4.5	0.2	0.5	4.7	0.0
Sauk Cty	1,463	75.1	0.3	21.7	1.0	0.1	1.8	0.0
Sawyer Cty	409	70.4	1.0	5.4	18.8	0.7	3.7	0.0
Seeds	3,271	12.2	3.2	75.2	0.3	2.4	6.7	0.0
Shawano	858	78.7	0.3	9.6	4.9	0.2	6.3	0.0
Sheboygan	2,482	45.4	1.8	27.5	0.1	19.6	5.6	0.0
St. Croix Cty	1,192	81.2	0.9	9.4	0.4	1.8	6.2	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4F
2010 Pediatric Nutrition Surveillance ⁽¹⁾

Page: 4
Run Date: 4 / 14 / 11

Wisconsin
Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
SWCAP	1,306	84.5	0.5	12.3	0.2	0.2	2.3	0.0
Taylor Cty	460	87.0	0.7	10.0	0.0	0.0	2.4	0.0
Trempealeau	736	57.7	0.3	39.9	0.3	0.1	1.6	0.0
Vernon Cty	736	85.2	0.5	9.5	0.1	0.4	4.2	0.0
Vilas	306	92.8	0.3	4.9	0.0	0.0	2.0	0.0
Walworth Cty	2,125	46.6	0.9	48.1	0.3	0.6	3.4	0.0
Wash/Ozaukee	2,096	76.1	3.1	15.5	0.1	0.9	4.3	0.0
Washburn Cty	421	84.8	0.2	8.6	0.5	0.5	5.5	0.0
Waukesha Cty	2,504	53.3	4.6	34.3	0.1	1.7	6.0	0.0
Waupaca Cty	877	85.3	0.0	13.5	0.3	0.0	0.9	0.0
Wee Care	8,530	4.3	83.6	3.7	0.1	5.0	3.3	0.0
West Allis	1,563	55.3	8.1	23.4	0.6	1.4	11.2	0.0
Winnebago	2,826	62.7	3.9	17.3	0.2	7.0	8.7	0.0
Wood Cty	1,519	78.9	0.8	10.9	0.3	3.6	5.5	0.0
Wisconsin	132,729	45.0	18.2	25.1	1.6	4.7	5.5	0.0
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 5
Run Date: 4 / 14 / 11

Comparison of Age Distribution				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
16th Street	7,477	29.6	19.7	50.8
Aurora	4,076	47.6	16.4	35.9
Barron Cty	1,131	38.6	19.0	42.4
Bay Area	876	25.2	22.6	52.2
Buffalo	435	34.9	18.2	46.9
Burnett Cty	408	32.4	19.6	48.0
Calumet Cty	706	27.9	22.9	49.2
Chippewa	1,371	30.1	23.0	46.8
City Mad	7,730	35.4	19.6	45.0
Clark Cty	790	32.9	19.2	47.8
Columbia Cty	847	35.9	19.8	44.3
Cudahy	2,882	33.1	24.6	42.4
Dane Cty	1	*	*	*
Dodge Cty	1,389	33.9	21.0	45.1
Door Cty	501	33.3	19.8	46.9
Dunn Cty	887	37.0	17.7	45.3
Eau Claire	2,400	33.6	20.3	46.1
Family Health	1,076	39.8	18.5	41.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 6
Run Date: 4 / 14 / 11

Comparison of Age Distribution				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Family Plan	3,859	35.0	20.1	44.9
Florence Cty	108	28.7	25.0	46.3
Fond du Lac	2,132	31.0	22.0	47.0
Forest Cty	241	32.8	20.3	46.9
GLITC	1,381	29.8	17.7	52.4
Grant Cty	1,124	35.9	19.0	45.1
Green Cty	651	34.1	22.1	43.8
Health	3,671	37.7	19.7	42.5
Jackson	566	33.6	15.9	50.5
Jefferson Cty	1,802	33.0	20.9	46.1
Juneau	1,380	31.4	19.1	49.6
Kenosha Cty	4,433	35.0	21.8	43.2
Kewaunee Cty	357	35.3	14.3	50.4
La Crosse Cty	2,419	32.9	21.4	45.8
Marinette	1,010	31.8	18.6	49.6
Menominee	561	25.8	23.2	51.0
Mil. City	8,421	29.9	22.2	47.9
MLK	3,132	30.5	22.5	47.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 7
Run Date: 4 / 14 / 11

Comparison of Age Distribution				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Monitowoc	1,620	33.0	18.3	48.7
Monroe Cty	1,090	33.9	19.8	46.2
NEW Comm	6,350	29.9	22.0	48.1
NHA	4,289	36.9	19.6	43.5
NWCSA	1,264	33.8	20.6	45.6
Oconto Cty	684	35.5	20.3	44.2
Oneida	596	30.5	24.2	45.3
Oneida Cty	615	39.8	19.7	40.5
Outagamie	2,674	32.7	22.6	44.7
Pierce Cty	719	34.9	17.5	47.6
Polk Cty	1,031	32.7	20.3	47.0
Portage Cty	1,243	41.7	18.2	40.1
Price Cty	465	30.1	20.0	49.9
Racine	1,776	33.7	19.8	46.5
Rusk Cty	402	36.8	17.9	45.3
Sauk Cty	1,463	39.2	17.4	43.4
Sawyer Cty	409	28.9	18.8	52.3
Seeds	3,271	28.1	19.9	52.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 8
Run Date: 4 / 14 / 11

Comparison of Age Distribution				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Shawano	858	25.4	22.7	51.9
Sheboygan	2,482	29.8	22.0	48.3
St. Croix Cty	1,192	36.2	19.2	44.6
SWCAP	1,306	36.4	17.1	46.6
Taylor Cty	460	33.5	23.0	43.5
Trempealeau	736	33.7	20.9	45.4
Vernon Cty	736	32.7	20.1	47.1
Vilas	306	29.4	21.2	49.3
Walworth Cty	2,125	34.3	18.2	47.5
Wash/Oz	2,096	34.2	20.6	45.3
Washburn Cty	421	32.8	20.0	47.3
Waukesha Cty	2,504	38.8	20.4	40.8
Waupaca Cty	877	36.4	22.2	41.4
Wee Care	8,530	33.8	20.4	45.9
West Allis	1,563	34.4	21.2	44.4
Winnebago	2,826	40.2	19.2	40.6
Wood Cty	1,519	34.2	21.7	44.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 9
Run Date: 4 / 14 / 11

Comparison of Age Distribution				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Wisconsin	132,729	33.8	20.4	45.8
Nation (Prior Year)	8,938,527	34.5	22.6	42.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 10
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators (3,4)											
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
16th Street	1,456	7.1 (23)	7.4 (29)	7,380	4.4 (18)	1.8 (6)	15.4 (63)	3,718	17.9 (48)	17.9 (61)	5,746 8.4 (42)
Aurora	1,400	10.6 (56)	3.3 (1)	4,012	5.4 (32)	5.8 (68)	10.3 (11)	1,452	15.4 (25)	9.5 (5)	2,301 29.7 (69)
Barron Cty	284	6.7 (18)	6.0 (12)	1,111	4.2 (16)	3.2 (40)	12.7 (38)	478	17.8 (47)	16.5 (54)	784 7.4 (34)
Bay Area	164	6.1 (13)	11.6 (56)	862	5.8 (42)	3.0 (34)	10.3 (11)	457	17.9 (48)	11.8 (21)	700 5.7 (24)
Buffalo	80	* *	* *	431	2.3 (2)	3.0 (34)	9.3 (5)	205	19.5 (58)	10.7 (13)	325 7.7 (38)
Burnett Cty	82	* *	* *	405	5.7 (37)	2.2 (13)	6.9 (1)	193	15.0 (18)	7.3 (2)	314 1.9 (5)
Calumet Cty	150	6.0 (10)	8.7 (40)	695	6.3 (56)	2.7 (29)	10.1 (9)	334	16.5 (31)	12.6 (29)	536 5.4 (20)
Chippewa	299	7.7 (32)	6.4 (14)	1,354	5.8 (42)	2.7 (29)	12.0 (27)	639	17.1 (38)	11.1 (17)	1,038 11.3 (57)
City Mad	1,775	8.2 (39)	8.6 (37)	7,586	5.3 (31)	2.4 (18)	12.8 (41)	3,447	15.1 (19)	13.4 (35)	5,582 10.5 (55)
Clark Cty	152	5.9 (8)	9.2 (45)	780	4.6 (20)	4.1 (56)	11.9 (26)	376	13.6 (5)	16.2 (53)	589 11.5 (58)
Columbia Cty	180	8.3 (40)	8.3 (34)	833	6.6 (66)	3.1 (37)	10.9 (19)	372	15.1 (19)	12.4 (25)	616 8.8 (44)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators												(3,4)	
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Cudahy	736	9.2 (46)	8.3 (34)	2,815	5.7 (37)	3.9 (50)	9.7 (6)		1,207	14.7 (15)	11.0 (16)	2,058	12.1 (60)
Dodge Cty	321	10.3 (55)	5.9 (10)	1,363	6.1 (49)	4.0 (53)	12.0 (27)		628	9.7 (2)	9.9 (7)	1,007	4.9 (18)
Door Cty	102	7.8 (35)	9.8 (50)	497	3.0 (4)	2.2 (13)	9.7 (6)		232	19.0 (55)	10.8 (15)	375	5.6 (23)
Dunn Cty	218	6.0 (10)	11.0 (54)	873	6.3 (56)	4.1 (56)	12.4 (35)		395	17.7 (46)	12.4 (25)	624	3.2 (9)
Eau Claire	521	8.1 (38)	7.7 (31)	2,356	6.4 (61)	2.6 (26)	12.8 (41)		1,090	16.0 (30)	13.2 (34)	1,792	12.6 (61)
Family Health	258	6.6 (17)	7.8 (32)	1,043	4.9 (23)	3.8 (49)	15.0 (60)		444	16.7 (32)	14.2 (41)	746	8.6 (43)
Family Plan	904	7.3 (26)	5.4 (8)	3,778	7.2 (68)	2.2 (13)	14.1 (53)		1,716	16.7 (32)	12.9 (32)	2,898	9.4 (49)
Florence Cty	19	* *	* *	106	5.7 (37)	1.9 (9)	12.3 (34)		49	* *	* *	82	* *
Fond du Lac	443	9.9 (52)	7.2 (26)	2,080	5.0 (25)	3.4 (45)	10.4 (13)		983	13.9 (9)	10.5 (12)	1,620	6.7 (31)
Forest Cty	58	* *	* *	233	1.3 (1)	3.9 (50)	16.3 (64)		113	11.5 (3)	18.6 (63)	163	6.7 (31)
GLITC	277	5.1 (4)	11.6 (56)	1,321	3.9 (13)	3.9 (50)	23.4 (69)		689	19.9 (61)	25.7 (68)	976	12.9 (62)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grant Cty	257	9.3 (47)	10.1 (51)	1,104	6.3 (56)	3.3 (41)	12.2 (32)	498	19.5 (58)	11.4 (18)	820	4.8 (17)
Green Cty	150	8.7 (43)	3.3 (1)	634	5.7 (37)	2.5 (22)	14.4 (57)	283	14.8 (16)	15.5 (51)	451	9.3 (48)
Health	886	7.7 (32)	6.9 (21)	3,595	6.2 (53)	3.3 (41)	13.6 (48)	1,568	17.2 (40)	13.7 (39)	2,678	7.3 (33)
Jackson	109	6.4 (14)	10.1 (51)	556	6.5 (64)	1.8 (6)	14.0 (52)	276	20.3 (63)	13.4 (35)	395	7.8 (39)
Jefferson Cty	384	7.0 (21)	8.6 (37)	1,768	4.0 (14)	3.3 (41)	10.5 (16)	804	18.2 (50)	14.2 (41)	1,335	4.7 (16)
Juneau	249	5.6 (6)	11.6 (56)	1,352	5.9 (47)	2.0 (10)	13.4 (45)	681	21.6 (65)	12.3 (24)	1,068	5.9 (25)
Kenosha Cty	1,045	8.3 (40)	6.7 (19)	4,352	6.1 (49)	2.6 (26)	13.4 (45)	1,890	15.9 (29)	14.4 (44)	3,124	9.7 (52)
Kewaunee Cty	69	* *	* *	347	3.5 (6)	1.4 (3)	20.5 (68)	166	19.9 (61)	20.5 (65)	269	10.0 (54)
La Crosse Cty	587	7.2 (24)	7.3 (27)	2,373	6.4 (61)	5.6 (67)	11.7 (25)	1,097	17.2 (40)	13.1 (33)	1,764	8.9 (45)
Marinette	212	7.5 (29)	9.4 (48)	991	3.7 (11)	8.3 (70)	9.2 (4)	494	8.1 (1)	5.9 (1)	748	2.3 (6)
Menominee	118	5.9 (8)	13.6 (60)	549	2.7 (3)	0.9 (1)	20.2 (67)	277	24.2 (67)	20.9 (66)	422	3.8 (11)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 13
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators												(3,4)	
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Mil. City	1,771	10.1 (54)	4.9 (7)	8,229	6.3 (56)	4.0 (53)	12.2 (32)	3,999	14.2 (10)	12.6 (29)		6,468	13.6 (63)
MLK	681	15.6 (60)	4.4 (6)	3,063	6.3 (56)	5.0 (61)	10.8 (18)	1,471	14.3 (12)	12.1 (23)		2,374	24.3 (68)
Monitowoc	327	7.6 (30)	7.0 (22)	1,596	5.5 (34)	3.3 (41)	15.2 (62)	789	17.1 (38)	19.0 (64)		1,194	5.9 (25)
Monroe Cty	224	8.0 (37)	8.0 (33)	1,076	5.9 (47)	1.3 (2)	18.5 (65)	495	15.8 (27)	18.0 (62)		804	3.9 (12)
NEW Comm	1,400	7.4 (27)	6.8 (20)	6,180	5.8 (42)	2.6 (26)	14.9 (59)	2,999	18.4 (51)	16.6 (55)		4,792	6.3 (28)
NHA	1,064	10.0 (53)	6.6 (16)	4,215	6.1 (49)	2.1 (12)	14.4 (57)	1,845	20.5 (64)	17.6 (60)		3,004	7.6 (37)
NWCSA	276	9.1 (44)	9.1 (42)	1,247	5.1 (26)	2.4 (18)	14.2 (55)	569	19.2 (56)	16.7 (56)		872	14.9 (66)
Oconto Cty	161	6.8 (20)	9.3 (47)	673	3.6 (9)	3.1 (37)	14.1 (53)	298	18.8 (53)	16.8 (57)		487	9.4 (49)
Oneida	153	6.5 (16)	9.2 (45)	582	8.1 (69)	1.5 (4)	25.8 (70)	270	26.3 (68)	43.3 (69)		422	1.4 (1)
Oneida Cty	156	11.5 (58)	7.1 (24)	610	6.7 (67)	2.8 (31)	7.5 (2)	246	13.0 (4)	8.1 (3)		428	1.4 (1)
Outagamie	674	8.3 (40)	7.3 (27)	2,593	3.6 (9)	5.2 (62)	10.7 (17)	1,187	17.4 (42)	13.6 (37)		1,742	5.5 (22)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 14
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pierce Cty	171	7.0 (21)	9.4 (48)	705	5.1 (26)	1.8 (6)	12.9 (43)	332	15.1 (19)	11.7 (20)	522	11.9 (59)
Polk Cty	215	7.4 (27)	12.1 (59)	1,013	3.5 (6)	4.1 (56)	10.4 (13)	477	13.6 (5)	10.1 (8)	766	7.4 (34)
Portage Cty	316	7.9 (36)	6.6 (16)	1,222	4.9 (23)	3.6 (48)	11.0 (22)	488	14.5 (13)	10.2 (10)	876	2.7 (8)
Price Cty	78	* *	* *	458	4.6 (20)	4.1 (56)	12.0 (27)	226	16.8 (35)	12.4 (25)	367	3.3 (10)
Racine	388	9.5 (49)	3.6 (3)	1,731	4.6 (20)	3.4 (45)	10.9 (19)	812	13.8 (8)	10.7 (13)	1,324	14.2 (64)
Rusk Cty	85	* *	* *	395	5.1 (26)	5.3 (64)	12.9 (43)	180	19.4 (57)	15.0 (48)	297	8.1 (41)
Sauk Cty	349	6.0 (10)	8.3 (34)	1,434	4.3 (17)	2.5 (22)	13.7 (50)	616	18.8 (53)	17.0 (58)	1,035	2.6 (7)
Sawyer Cty	74	* *	* *	404	3.2 (5)	5.2 (62)	9.9 (8)	199	14.6 (14)	10.1 (8)	319	4.1 (13)
Seeds	661	7.7 (32)	8.6 (37)	3,225	3.8 (12)	2.4 (18)	13.8 (51)	1,658	19.7 (60)	17.0 (58)	2,506	14.6 (65)
Shawano	175	10.9 (57)	4.0 (5)	840	6.2 (53)	2.5 (22)	12.7 (38)	442	15.2 (22)	12.4 (25)	668	6.3 (28)
Sheboygan	587	7.2 (24)	8.9 (41)	2,410	5.8 (42)	5.9 (69)	12.4 (35)	1,181	17.5 (44)	14.5 (46)	1,824	4.3 (14)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)											
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
St. Croix Cty	283	6.4 (14)	10.2 (53)	1,173	5.4 (32)	3.1 (37)	10.4 (13)	534	16.7 (32)	14.2 (41)	841 6.1 (27)
SWCAP	280	5.7 (7)	11.1 (55)	1,283	5.6 (36)	3.0 (34)	12.7 (38)	591	17.4 (42)	14.6 (47)	962 9.1 (47)
Taylor Cty	110	5.5 (5)	9.1 (42)	451	4.0 (14)	5.5 (66)	8.9 (3)	208	21.6 (65)	11.5 (19)	329 1.5 (4)
Tremp	164	4.9 (2)	6.1 (13)	727	5.5 (34)	2.9 (33)	12.4 (35)	331	16.9 (37)	15.4 (50)	523 9.6 (51)
Vernon Cty	146	2.7 (1)	7.5 (30)	725	5.1 (26)	2.3 (16)	12.1 (31)	333	16.8 (35)	14.4 (44)	545 5.0 (19)
Vilas	56	* *	* *	295	5.8 (42)	4.1 (56)	11.5 (23)	147	13.6 (5)	9.5 (5)	218 1.4 (1)
Walworth Cty	461	9.1 (44)	5.9 (10)	2,081	6.4 (61)	2.8 (31)	14.3 (56)	974	15.8 (27)	15.5 (51)	1,581 8.9 (45)
Wash/Oz	476	6.7 (18)	7.1 (24)	2,060	5.7 (37)	2.5 (22)	10.9 (19)	932	14.2 (10)	9.4 (4)	1,544 7.9 (40)
Washburn Cty	86	* *	* *	416	9.1 (70)	3.4 (45)	19.2 (66)	197	27.4 (69)	23.4 (67)	312 5.4 (20)
Waukesha Cty	640	9.4 (48)	7.0 (22)	2,457	6.2 (53)	2.4 (18)	15.0 (60)	1,003	15.4 (25)	13.7 (39)	1,632 6.4 (30)
Waupaca Cty	211	7.6 (30)	6.6 (16)	857	4.4 (18)	4.0 (53)	12.0 (27)	349	15.2 (22)	10.3 (11)	624 4.3 (14)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Wee Care	1,824	12.8 (59)	3.7 (4)	8,393	6.5 (64)	2.0 (10)	13.4 (45)	3,846	17.5 (44)	12.7 (31)	6,297	17.9 (67)
West Allis	359	9.7 (50)	6.4 (14)	1,533	3.5 (6)	2.3 (16)	11.5 (23)	692	18.5 (52)	15.2 (49)	1,128	9.8 (53)
Winnebago	702	9.7 (50)	5.8 (9)	2,782	6.1 (49)	1.5 (4)	13.6 (48)	1,153	14.9 (17)	13.6 (37)	1,974	10.5 (55)
Wood Cty	363	5.0 (3)	9.1 (42)	1,499	5.2 (30)	5.3 (64)	10.2 (10)	655	15.3 (24)	11.9 (22)	1,074	7.5 (36)
Wisconsin	30,092	8.6	7.0	130,168	5.5	3.1	13.0	59,975	16.6	14.1	96,621	10.0
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	16.4	14.7	5,524,196	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 17
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
16th Street	1,456	85.4 (1)	774	39.3 (2)	1,182	20.6 (2)	580	15.9 (26)	772	8.9 (24)	4,049	81.6 (54)	7,452	3.6 (5)
Aurora	1,400	31.0 (60)	379	13.2 (41)	558	5.4 (52)	257	9.7 (33)	379	4.2 (39)	1,541	79.9 (59)	4,073	11.9 (64)
Barron Cty	287	72.5 (27)	119	27.7 (19)	136	8.1 (50)	106	19.8 (18)	119	5.9 (35)	519	82.3 (48)	1,121	4.7 (15)
Bay Area	166	76.5 (17)	92	* *	140	19.3 (5)	65	* *	92	* *	490	89.6 (11)	874	6.8 (41)
Buffalo	80	* *	43	* *	66	* *	31	* *	43	* *	213	94.8 (2)	435	6.0 (29)
Burnett Cty	83	* *	45	* *	69	* *	37	* *	45	* *	202	93.6 (4)	406	8.1 (55)
Calumet Cty	150	77.3 (15)	70	* *	112	13.4 (22)	53	* *	69	* *	363	82.6 (46)	703	6.0 (29)
Chippewa	301	72.1 (30)	140	20.7 (34)	201	10.0 (41)	96	* *	140	7.1 (34)	695	85.6 (32)	1,369	5.6 (22)
City Mad	1,776	80.4 (6)	813	39.5 (1)	1,112	20.0 (3)	713	19.2 (20)	813	9.3 (22)	3,712	83.5 (42)	7,678	4.3 (9)
Clark Cty	149	77.9 (13)	80	* *	111	12.6 (27)	66	* *	80	* *	413	88.1 (21)	788	5.1 (18)
Columbia Cty	179	77.1 (16)	92	* *	108	22.2 (1)	66	* *	92	* *	392	84.4 (39)	845	6.7 (39)
Cudahy	742	66.7 (42)	316	21.5 (32)	487	8.2 (49)	215	15.8 (27)	315	7.6 (32)	1,307	75.3 (66)	2,869	7.8 (51)
Dodge Cty	319	83.4 (3)	134	35.8 (5)	197	17.8 (10)	118	34.7 (1)	134	11.2 (11)	675	90.7 (6)	1,378	5.0 (17)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 18
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
	Breastfeeding (6)						Exclusive Breastfeeding (7)		≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Door Cty	102	68.6 (37)	62	* *	83	* *	47	* *	62	* *	247	83.4 (44)
Dunn Cty	220	66.4 (45)	97	* *	106	12.3 (33)	87	* *	97	* *	420	86.4 (27)
Eau Claire	520	72.5 (27)	252	24.2 (28)	375	10.7 (37)	190	24.2 (9)	252	9.1 (23)	1,178	89.1 (14)
Family Health	263	63.9 (49)	124	33.1 (9)	171	17.0 (11)	108	15.7 (29)	124	10.5 (14)	480	81.5 (55)
Family Plan	906	60.8 (56)	447	21.3 (33)	500	10.6 (38)	345	19.7 (19)	447	9.6 (21)	1,839	83.6 (41)
Florence Cty	19	* *	13	* *	24	* *	7	* *	13	* *	52	* *
Fond du Lac	447	69.4 (36)	247	30.4 (13)	347	14.1 (18)	183	28.4 (5)	246	9.8 (17)	1,059	86.5 (26)
Forest Cty	58	* *	16	* *	28	* *	17	* *	16	* *	123	90.2 (9)
GLITC	276	61.2 (54)	107	20.6 (35)	173	9.2 (44)	92	* *	107	8.4 (28)	669	84.8 (37)
Grant Cty	258	70.5 (34)	125	23.2 (31)	134	14.9 (14)	97	* *	123	9.8 (17)	546	85.2 (33)
Green Cty	152	78.9 (9)	66	* *	102	15.7 (13)	59	* *	66	* *	298	92.6 (5)
Health	885	66.6 (44)	387	19.9 (37)	463	12.7 (26)	262	9.2 (34)	387	5.2 (37)	1,682	88.2 (19)
Jackson	108	78.7 (11)	57	* *	64	* *	51	* *	57	* *	300	89.0 (17)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 19
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Jefferson Cty	385	77.4 (14)	216	27.8 (18)	289	13.1 (24)	153	19.0 (21)	216	7.9 (30)	886	88.0 (22)	1,798	5.6 (22)
Juneau	250	74.0 (22)	145	25.5 (26)	179	8.4 (48)	111	20.7 (16)	144	13.2 (6)	738	79.4 (61)	1,371	16.2 (69)
Kenosha Cty	1,039	61.6 (53)	442	20.4 (36)	747	9.1 (46)	302	20.9 (15)	439	5.0 (38)	2,017	81.8 (51)	4,376	7.0 (42)
Kewaunee Cty	69	* *	40	* *	52	* *	29	* *	40	* *	188	69.1 (68)	357	6.2 (31)
La Crosse Cty	581	65.1 (46)	252	25.8 (24)	336	13.1 (24)	207	23.2 (11)	252	11.9 (8)	1,175	87.5 (24)	2,415	3.5 (4)
Marinette	213	67.1 (41)	103	19.4 (38)	146	4.1 (54)	65	* *	100	11.0 (12)	524	88.2 (19)	1,002	7.5 (45)
Menominee	118	72.9 (25)	53	* *	81	* *	53	* *	53	* *	303	94.4 (3)	561	7.8 (51)
Mil. City	1,788	63.1 (51)	867	15.5 (40)	1,252	9.7 (42)	569	10.4 (32)	865	3.7 (40)	4,319	76.3 (65)	8,398	9.7 (61)
MLK	689	56.7 (59)	342	12.6 (42)	518	5.2 (53)	215	8.4 (36)	340	2.4 (42)	1,558	72.8 (67)	3,110	17.6 (70)
Monitowoc	326	62.9 (52)	148	27.0 (23)	219	14.6 (16)	118	20.3 (17)	148	15.5 (3)	838	76.7 (64)	1,609	7.0 (42)
Monroe Cty	226	70.8 (33)	110	29.1 (15)	158	13.9 (19)	77	* *	109	10.1 (15)	537	82.7 (45)	1,085	7.9 (54)
NEW Comm	1,423	68.4 (39)	653	23.9 (30)	960	12.3 (33)	488	15.8 (27)	650	8.6 (26)	3,203	79.4 (61)	6,315	6.6 (37)
NHA	1,069	64.7 (47)	424	27.4 (22)	634	13.2 (23)	324	15.1 (30)	423	7.6 (32)	1,983	80.6 (57)	4,254	6.2 (31)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 20
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % (Rank)		Number % (Rank)	
NWCSA	275	74.5 (19)	130 29.2 (14)	207 8.7 (47)	117 28.2 (6)	130 15.4 (4)	613 80.4 (58)		1,260 6.5 (36)	
Oconto Cty	160	59.4 (57)	74 * *	109 9.2 (44)	44 * *	74 * *	317 79.8 (60)		684 12.3 (67)	
Oneida	153	68.6 (37)	50 * *	95 * *	31 * *	50 * *	284 86.6 (25)		595 6.6 (37)	
Oneida Cty	156	66.7 (42)	70 * *	90 * *	42 * *	70 * *	261 90.4 (8)		612 7.7 (48)	
Outagamie	681	69.6 (35)	290 27.6 (21)	415 13.7 (20)	222 21.2 (14)	290 10.7 (13)	1,174 84.8 (37)		2,651 4.5 (14)	
Pierce Cty	172	73.3 (24)	70 * *	101 18.8 (8)	60 * *	70 * *	364 95.3 (1)		716 5.6 (22)	
Polk Cty	213	81.2 (5)	136 31.6 (10)	145 14.5 (17)	109 26.6 (8)	136 14.0 (5)	508 82.5 (47)		1,028 5.8 (26)	
Portage Cty	313	72.2 (29)	145 25.5 (26)	172 19.8 (4)	121 19.0 (21)	142 9.9 (16)	535 88.8 (18)		1,238 3.7 (6)	
Price Cty	78	* *	47 * *	58 * *	35 * *	47 * *	251 81.7 (53)		465 7.7 (48)	
Racine	390	57.2 (58)	171 24.0 (29)	220 10.5 (39)	126 12.7 (31)	168 8.3 (29)	888 85.8 (30)		1,768 13.9 (68)	
Rusk Cty	86	* *	40 * *	68 * *	35 * *	40 * *	188 89.4 (12)		402 9.5 (60)	
Sauk Cty	348	83.6 (2)	168 36.3 (4)	200 18.0 (9)	158 27.8 (7)	168 11.3 (10)	673 87.7 (23)		1,461 8.3 (56)	
Sawyer Cty	74	* *	38 * *	59 * *	29 * *	38 * *	221 89.1 (14)		409 9.0 (58)	

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 21
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Seeds	660	72.7 (26)	278	27.7 (19)	485	12.4 (31)	200	16.0 (25)	278	5.4 (36)	1,814	86.0 (28)	3,262	5.3 (20)
Shawano	175	61.1 (55)	69	* *	127	12.6 (27)	48	* *	69	* *	480	86.0 (28)	856	7.7 (48)
Sheboygan	587	74.4 (20)	221	25.8 (24)	387	10.3 (40)	169	18.9 (23)	221	8.6 (26)	1,257	83.5 (42)	2,479	4.4 (10)
St. Croix Cty	282	79.8 (8)	114	34.2 (7)	159	12.6 (27)	96	* *	114	15.8 (2)	568	84.2 (40)	1,181	3.4 (3)
SWCAP	280	73.6 (23)	155	31.0 (12)	180	12.2 (35)	128	22.7 (13)	155	7.7 (31)	639	85.1 (34)	1,300	4.4 (10)
Taylor Cty	109	78.0 (12)	52	* *	62	* *	34	* *	52	* *	214	77.1 (63)	460	7.6 (47)
Trempe	164	79.9 (7)	63	* *	107	16.8 (12)	54	* *	63	* *	359	89.4 (12)	736	2.9 (2)
Vernon Cty	146	75.3 (18)	67	* *	110	19.1 (6)	53	* *	67	* *	374	81.8 (51)	736	4.9 (16)
Vilas	56	* *	23	* *	44	* *	17	* *	23	* *	161	85.1 (34)	302	6.3 (34)
Walworth Cty	464	82.1 (4)	216	35.2 (6)	261	14.9 (14)	192	29.7 (3)	216	9.7 (19)	1,063	85.8 (30)	2,114	5.8 (26)
Wash/Oz	473	78.9 (9)	220	33.2 (8)	302	18.9 (7)	201	28.9 (4)	219	11.4 (9)	999	89.9 (10)	2,086	5.5 (21)
Washburn Cty	86	* *	54	* *	59	* *	39	* *	54	* *	209	68.4 (69)	421	2.6 (1)
Waukesha Cty	644	71.1 (32)	296	28.7 (16)	358	12.6 (27)	251	18.7 (24)	295	8.8 (25)	1,082	82.2 (49)	2,481	5.6 (22)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 22
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
	Breastfeeding (6)				Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household		
Local Agency	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
		Ever Breastfed		Breastfed At Least 6 Months		Breastfed At Least 12 Months		Breastfed At Least 3 Months		Breastfed At Least 6 Months		
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Waupaca Cty	210	64.3 (48)	99	* *	138	9.4 (43)	76	* *	98	* *	383	90.6 (7)
Wee Care	1,824	63.7 (50)	840	17.9 (39)	1,348	5.9 (51)	591	8.5 (35)	839	3.0 (41)	4,146	80.7 (56)
West Allis	359	74.1 (21)	172	31.4 (11)	274	12.4 (31)	131	22.9 (12)	171	12.3 (7)	732	85.1 (34)
Winnebago	700	71.3 (31)	299	28.1 (17)	402	10.9 (36)	245	23.7 (10)	299	9.7 (19)	1,207	82.2 (49)
Wood Cty	364	67.9 (40)	156	36.5 (3)	214	13.6 (21)	133	33.8 (2)	156	21.2 (1)	714	89.1 (14)
Wisconsin	30,160	68.5	13,715	26.4	19,576	12.4	10,446	19.5	13,681	8.8	64,411	83.0
Nation (Prior Year)	1,769,160	61.7	911,779	27.0	1,092,573	18.5	317,037	9.9	420,655	5.3	1,022,933	77.3
											4,355,723	10.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 23
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators												(3,4)	
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)	
16th Street	4,419	6.7 (12)	8.3 (32)	21,677	6.1 (55)	1.4 (2)	18.8 (67)	10,865	20.5 (65)	21.8 (68)	16,842	10.9 (53)	
Aurora	4,538	10.6 (66)	3.8 (1)	12,306	4.8 (22)	6.4 (69)	9.7 (5)	4,403	14.9 (14)	10.2 (7)	6,796	30.5 (70)	
Barron Cty	817	6.9 (18)	8.7 (40)	3,398	4.4 (16)	3.1 (33)	12.2 (31)	1,476	17.0 (38)	14.8 (50)	2,457	8.9 (43)	
Bay Area	548	6.4 (10)	9.9 (57)	2,638	5.4 (33)	3.2 (36)	11.3 (19)	1,318	16.5 (31)	12.0 (21)	2,063	7.4 (35)	
Buffalo	281	9.6 (57)	8.5 (36)	1,296	3.3 (3)	3.5 (46)	10.3 (10)	609	15.8 (24)	12.5 (28)	964	10.1 (48)	
Burnett Cty	268	7.5 (30)	7.8 (24)	1,204	5.1 (28)	2.7 (24)	8.6 (1)	561	15.0 (15)	8.4 (2)	918	2.5 (2)	
Calumet Cty	448	7.6 (33)	7.6 (18)	2,012	6.3 (57)	4.0 (56)	11.0 (16)	953	17.0 (38)	13.7 (43)	1,536	4.9 (17)	
Chippewa	955	7.4 (29)	7.4 (16)	4,166	6.5 (62)	2.4 (14)	12.2 (31)	1,955	17.4 (46)	11.8 (17)	3,160	11.1 (56)	
City Mad	5,492	7.3 (25)	8.6 (38)	22,348	4.9 (24)	2.5 (17)	12.8 (39)	9,906	14.6 (11)	12.3 (24)	16,296	11.0 (54)	
Clark Cty	516	7.9 (42)	8.9 (46)	2,394	4.9 (24)	3.1 (33)	12.2 (31)	1,139	17.2 (43)	12.6 (29)	1,782	13.1 (63)	
Columbia Cty	606	7.8 (38)	9.4 (54)	2,555	5.9 (47)	3.5 (46)	10.1 (8)	1,097	16.9 (36)	11.9 (18)	1,847	8.4 (40)	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 24
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators												(3,4)		
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)			
	Low		High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Cudahy	2,205	8.5 (48)	8.8 (43)		8,052	5.6 (37)	3.5 (46)	11.3 (19)		3,372	15.7 (23)	12.3 (24)	5,769	13.3 (64)
Dane Cty	0	* *	* *		4	* *	* *	* *		0	* *	* *	6	* *
Dodge Cty	980	7.7 (35)	7.3 (13)		4,081	5.5 (36)	4.3 (61)	11.1 (17)		1,860	10.9 (2)	8.5 (3)	3,000	5.3 (20)
Door Cty	356	8.1 (46)	8.7 (40)		1,491	3.6 (6)	4.2 (60)	8.8 (3)		692	17.5 (47)	12.1 (23)	1,088	4.4 (15)
Dunn Cty	617	6.8 (14)	9.9 (57)		2,707	5.9 (47)	3.5 (46)	11.9 (28)		1,270	18.0 (51)	12.0 (21)	2,000	3.8 (10)
Eau Claire	1,660	6.4 (10)	9.3 (52)		7,178	6.0 (51)	2.8 (27)	12.1 (30)		3,266	17.0 (38)	13.0 (31)	5,293	12.5 (59)
Family Health	758	7.5 (30)	8.3 (32)		3,140	4.8 (22)	3.2 (36)	15.3 (61)		1,369	17.5 (47)	15.1 (53)	2,236	8.2 (38)
Family Plan	2,684	6.8 (14)	6.1 (7)		11,206	7.5 (69)	1.8 (4)	14.0 (50)		5,074	17.2 (43)	13.9 (44)	8,545	9.1 (44)
Florence Cty	77	* *	* *		342	7.9 (70)	2.6 (18)	11.1 (17)		160	15.0 (15)	11.9 (18)	236	5.5 (22)
Fond du Lac	1,398	10.2 (65)	7.6 (18)		6,040	6.5 (62)	3.3 (42)	10.1 (8)		2,838	13.9 (7)	10.0 (6)	4,589	7.6 (36)
Forest Cty	150	6.0 (7)	12.0 (67)		680	2.6 (2)	3.2 (36)	15.7 (63)		335	12.8 (5)	18.8 (65)	510	9.2 (45)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 25
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators (3,4)													
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
GLITC	800	4.6 (2)	13.4 (68)	3,908	3.4 (5)	3.5 (46)	23.0 (69)	1,992	20.7 (66)	24.4 (69)		2,988	11.0 (54)
Grant Cty	778	7.2 (23)	10.2 (60)	3,560	5.1 (28)	3.6 (51)	11.3 (19)	1,655	15.5 (20)	11.4 (14)		2,728	4.0 (13)
Green Cty	458	9.0 (51)	8.1 (27)	1,941	7.1 (67)	2.6 (18)	16.3 (64)	870	19.4 (62)	19.9 (66)		1,385	10.6 (50)
Health	2,890	9.6 (57)	6.6 (9)	10,960	6.3 (57)	3.2 (36)	14.1 (52)	4,660	16.7 (35)	13.9 (44)		7,998	7.6 (36)
Jackson	359	4.7 (3)	11.1 (64)	1,714	6.4 (61)	1.8 (4)	12.7 (38)	840	20.1 (64)	13.6 (41)		1,206	8.4 (40)
Jefferson Cty	1,226	6.1 (8)	9.2 (50)	5,286	4.2 (13)	3.2 (36)	11.8 (27)	2,391	18.2 (53)	14.3 (48)		3,921	5.0 (18)
Juneau	842	8.0 (44)	11.0 (63)	3,994	5.9 (47)	2.2 (12)	14.5 (58)	1,939	17.8 (49)	13.6 (41)		3,062	6.4 (27)
Kenosha Cty	3,316	9.2 (53)	7.0 (12)	12,805	7.4 (68)	2.1 (10)	14.7 (59)	5,391	16.2 (28)	13.1 (35)		9,030	11.4 (57)
Kewaunee Cty	229	7.9 (42)	7.9 (25)	1,018	4.2 (13)	1.8 (4)	17.7 (66)	474	21.5 (67)	16.0 (57)		762	12.7 (61)
La Crosse Cty	1,774	7.7 (35)	8.5 (36)	7,135	6.3 (57)	4.4 (62)	11.6 (26)	3,273	18.5 (57)	12.4 (27)		5,316	6.9 (31)
Marinette	654	7.8 (38)	8.6 (38)	3,088	4.2 (13)	7.7 (70)	8.9 (4)	1,511	8.7 (1)	4.9 (1)		2,344	3.3 (7)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 26
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators (3,4)											
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Menominee	370	4.3 (1)	14.6 (69)	1,672	2.5 (1)	1.2 (1)	20.9 (68)	823	24.4 (70)	20.2 (67)	1,287 4.0 (13)
Mil. City	5,733	10.6 (66)	5.4 (5)	25,201	6.6 (65)	4.1 (58)	12.6 (36)	11,842	16.0 (27)	13.0 (31)	19,452 16.9 (67)
MLK	2,036	14.1 (69)	4.5 (3)	9,060	5.7 (40)	5.5 (66)	10.7 (12)	4,228	12.0 (3)	8.8 (4)	6,970 20.7 (69)
Monitowoc	1,109	9.2 (53)	7.3 (13)	4,973	4.9 (24)	3.4 (43)	14.3 (54)	2,312	17.9 (50)	17.6 (63)	3,624 7.1 (33)
Monroe Cty	757	7.3 (25)	9.1 (49)	3,339	5.6 (37)	1.6 (3)	15.6 (62)	1,470	16.3 (29)	14.8 (50)	2,438 5.4 (21)
NEW Comm	4,347	7.3 (25)	7.9 (25)	18,326	5.1 (28)	3.6 (51)	13.6 (46)	8,621	15.3 (17)	14.1 (46)	13,961 6.6 (29)
NHA	3,155	8.8 (50)	6.8 (11)	12,531	5.1 (28)	2.9 (29)	14.0 (50)	5,413	18.1 (52)	15.4 (55)	8,893 8.2 (38)
NWCSA	857	6.9 (18)	11.1 (64)	3,744	4.5 (18)	2.8 (27)	14.1 (52)	1,648	20.0 (63)	16.3 (58)	2,587 14.2 (65)
Oconto Cty	471	6.8 (14)	9.6 (56)	1,969	4.0 (11)	2.0 (7)	14.8 (60)	868	18.3 (55)	17.5 (62)	1,433 6.8 (30)
Oneida	447	5.6 (5)	11.4 (66)	1,734	6.6 (65)	2.0 (7)	24.5 (70)	766	23.6 (69)	40.1 (70)	1,256 2.9 (5)
Oneida Cty	465	9.5 (56)	9.0 (47)	1,816	5.7 (40)	4.4 (62)	8.6 (1)	753	12.2 (4)	11.3 (12)	1,261 3.5 (8)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 27
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Outagamie	2,039	8.5 (48)	6.5 (8)	7,771	3.9 (9)	5.2 (65)	11.3 (19)	3,549	18.2 (53)	13.0 (31)	5,172	7.3 (34)
Pierce Cty	472	7.6 (33)	9.5 (55)	2,156	5.9 (47)	2.0 (7)	13.5 (45)	1,028	17.3 (45)	11.9 (18)	1,637	12.6 (60)
Polk Cty	720	7.8 (38)	9.0 (47)	3,005	3.7 (7)	3.8 (55)	10.0 (7)	1,354	14.3 (9)	10.2 (7)	2,227	8.5 (42)
Portage Cty	914	8.3 (47)	7.4 (16)	3,641	5.7 (40)	3.0 (31)	10.8 (13)	1,529	14.5 (10)	10.3 (9)	2,628	3.6 (9)
Price Cty	251	7.2 (23)	8.8 (43)	1,412	4.0 (11)	3.1 (33)	13.0 (40)	717	18.5 (57)	13.4 (39)	1,138	3.0 (6)
Racine	1,213	9.7 (61)	5.2 (4)	5,200	3.9 (9)	2.9 (29)	11.5 (25)	2,382	13.9 (7)	11.0 (10)	4,007	15.9 (66)
Rusk Cty	266	7.1 (22)	10.9 (62)	1,220	4.7 (20)	4.0 (56)	14.3 (54)	561	22.5 (68)	16.6 (60)	908	5.8 (24)
Sauk Cty	1,037	5.3 (4)	9.3 (52)	4,175	5.0 (27)	2.1 (10)	14.3 (54)	1,787	18.6 (59)	16.6 (60)	3,034	2.7 (4)
Sawyer Cty	271	7.7 (35)	9.2 (50)	1,316	3.8 (8)	3.4 (43)	10.8 (13)	633	16.6 (33)	12.3 (24)	1,017	4.8 (16)
Seeds	2,088	7.8 (38)	8.1 (27)	9,718	3.3 (3)	3.2 (36)	13.1 (41)	4,708	18.8 (60)	15.7 (56)	7,503	13.0 (62)
Shawano	539	9.6 (57)	5.4 (5)	2,492	6.0 (51)	2.2 (12)	13.2 (42)	1,240	14.7 (12)	13.1 (35)	1,971	6.4 (27)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 28
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators												(3,4)	
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Sheboygan	1,721	8.0 (44)	8.1 (27)	7,222	5.7 (40)	5.6 (68)	12.3 (34)	3,436	16.6 (33)	14.2 (47)		5,428	3.9 (11)
St. Croix Cty	837	6.3 (9)	8.7 (40)	3,583	5.4 (33)	2.6 (18)	10.8 (13)	1,634	17.1 (41)	13.3 (38)		2,614	5.5 (22)
SWCAP	926	6.8 (14)	10.0 (59)	3,924	6.0 (51)	2.6 (18)	13.4 (43)	1,745	19.3 (61)	15.3 (54)		2,872	10.7 (51)
Taylor Cty	343	9.9 (64)	10.2 (60)	1,360	4.4 (16)	5.1 (64)	9.7 (5)	603	16.3 (29)	11.3 (12)		1,009	2.3 (1)
Tremp	546	7.3 (25)	7.7 (22)	2,253	4.7 (20)	2.6 (18)	16.8 (65)	976	16.9 (36)	17.8 (64)		1,596	10.8 (52)
Vernon Cty	489	7.0 (20)	8.8 (43)	2,240	5.7 (40)	2.4 (14)	12.5 (35)	1,028	17.1 (41)	14.6 (49)		1,635	5.1 (19)
Vilas	185	9.7 (61)	8.1 (27)	862	6.1 (55)	3.7 (54)	11.9 (28)	406	13.5 (6)	12.8 (30)		615	2.6 (3)
Walworth Cty	1,473	7.0 (20)	7.3 (13)	6,341	5.6 (37)	2.6 (18)	13.8 (47)	2,833	15.6 (21)	15.0 (52)		4,725	9.5 (46)
Wash/Oz	1,538	6.7 (12)	7.6 (18)	6,197	5.7 (40)	2.7 (24)	11.3 (19)	2,742	14.7 (12)	9.6 (5)		4,520	9.5 (46)
Washburn Cty	274	5.8 (6)	7.7 (22)	1,309	6.3 (57)	5.5 (66)	13.9 (48)	622	15.9 (25)	16.4 (59)		986	6.0 (25)
Waukesha Cty	1,945	9.1 (52)	7.6 (18)	7,346	5.4 (33)	2.7 (24)	14.4 (57)	2,979	16.5 (31)	13.5 (40)		4,798	6.1 (26)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 29
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators (3,4)													
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Waupaca Cty	680	9.6 (57)	8.4 (35)	2,588	5.7 (40)	3.6 (51)	13.4 (43)	1,048	15.3 (17)	11.2 (11)		1,843	3.9 (11)
Wee Care	5,934	12.2 (68)	4.0 (2)	25,296	6.5 (62)	3.0 (31)	12.6 (36)	11,271	15.6 (21)	11.7 (15)		18,445	19.8 (68)
West Allis	1,123	9.3 (55)	8.3 (32)	4,291	4.6 (19)	3.4 (43)	10.5 (11)	1,799	18.3 (55)	13.2 (37)		3,013	11.9 (58)
Winnebago	2,143	9.8 (63)	6.6 (9)	8,218	6.0 (51)	2.4 (14)	13.9 (48)	3,395	15.9 (25)	13.0 (31)		5,795	10.4 (49)
Wood Cty	1,193	7.5 (30)	8.2 (31)	4,501	5.3 (32)	4.1 (58)	11.4 (24)	1,867	15.4 (19)	11.7 (15)		3,101	7.0 (32)
Wisconsin	94,006	8.5	7.4	390,326	5.6	3.2	13.1	176,130	16.6	13.8		286,072	10.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 30
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
16th Street	4,727	84.1 (1)	3,631	38.4 (1)	3,828	25.0 (1)	3,343	12.5 (51)	3,489	7.2 (36)	11,913	80.8 (56)	10,953	4.3 (5)
Aurora	4,180	36.7 (69)	2,339	10.9 (68)	2,325	5.5 (67)	2,161	5.4 (67)	2,240	2.8 (67)	4,658	80.9 (55)	7,044	13.0 (65)
Barron Cty	912	72.4 (22)	604	22.7 (35)	586	8.4 (60)	620	17.6 (27)	596	6.4 (48)	1,594	83.3 (42)	1,906	6.6 (22)
Bay Area	598	72.4 (22)	465	35.5 (3)	483	22.2 (3)	432	29.2 (1)	453	19.2 (1)	1,426	89.6 (11)	1,406	6.4 (18)
Buffalo	313	75.4 (12)	214	23.8 (28)	222	12.2 (24)	204	21.1 (16)	205	14.6 (4)	639	92.0 (3)	737	8.1 (44)
Burnett Cty	284	70.1 (34)	214	15.9 (60)	213	7.5 (62)	209	19.6 (19)	209	4.3 (63)	585	95.7 (1)	638	11.9 (61)
Calumet Cty	515	70.1 (34)	361	27.1 (17)	361	13.3 (17)	342	22.5 (12)	346	11.8 (12)	1,038	78.9 (59)	1,146	6.5 (21)
Chippewa	1,038	69.8 (37)	697	20.4 (49)	745	9.5 (52)	617	17.0 (32)	634	7.4 (35)	2,122	86.5 (21)	2,292	7.6 (35)
City Mad	6,035	79.4 (4)	4,142	38.0 (2)	4,120	22.8 (2)	3,997	17.1 (30)	3,971	9.8 (17)	10,660	83.9 (37)	12,657	5.1 (9)
Clark Cty	558	76.5 (9)	396	27.3 (16)	388	11.6 (37)	377	15.1 (38)	384	7.0 (42)	1,254	87.2 (20)	1,302	6.6 (22)
Columbia Cty	666	74.6 (17)	447	25.7 (22)	421	15.0 (12)	407	18.4 (24)	416	7.2 (36)	1,167	82.6 (46)	1,451	7.9 (40)
Cudahy	2,435	67.3 (47)	1,497	20.5 (47)	1,545	9.3 (55)	1,416	10.2 (58)	1,389	5.0 (57)	3,657	72.0 (68)	4,783	13.3 (66)
Dane Cty	0	* *	0	* *	0	* *	0	* *	0	* *	0	* *	2	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 31
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Dodge Cty	1,071	80.4 (3)	705 31.1 (7)	708 16.8 (6)	700 26.6 (2)	693 13.7 (6)	2,001	91.4 (6)	2,338	5.8 (13)
Door Cty	374	70.1 (34)	266 28.6 (12)	270 12.6 (23)	254 22.8 (11)	266 7.5 (33)	736	84.1 (35)	802	5.4 (12)
Dunn Cty	672	68.9 (42)	448 24.8 (24)	426 11.7 (33)	438 19.6 (19)	444 10.4 (15)	1,364	86.3 (22)	1,510	4.6 (7)
Eau Claire	1,785	71.7 (27)	1,298 21.8 (44)	1,296 10.6 (47)	1,229 16.3 (33)	1,268 7.1 (39)	3,527	86.3 (22)	3,893	4.7 (8)
Family Health	856	62.3 (56)	569 23.7 (29)	565 11.7 (33)	539 12.4 (52)	530 8.7 (26)	1,468	77.7 (62)	1,834	10.3 (54)
Family Plan	2,890	61.1 (60)	2,048 18.0 (57)	1,871 9.0 (56)	1,861 13.8 (43)	1,920 7.1 (39)	5,494	83.5 (41)	6,253	7.1 (28)
Florence Cty	82	* *	62 * *	56 * *	60 * *	59 * *	172	91.9 (5)	201	10.9 (57)
Fond du Lac	1,541	68.5 (44)	1,100 23.9 (26)	1,130 11.6 (37)	1,072 19.6 (19)	1,082 7.2 (36)	3,060	87.4 (18)	3,388	7.1 (28)
Forest Cty	162	60.5 (63)	105 14.3 (66)	114 2.6 (69)	98 * *	104 6.7 (45)	372	83.1 (43)	368	13.3 (66)
GLITC	867	62.3 (56)	623 18.0 (57)	644 9.0 (56)	586 12.3 (53)	601 7.5 (33)	1,999	84.1 (35)	2,067	11.4 (60)
Grant Cty	861	65.2 (50)	609 22.3 (40)	583 11.7 (33)	535 17.4 (29)	540 9.3 (24)	1,792	77.5 (63)	1,974	7.7 (37)
Green Cty	515	69.7 (38)	343 22.2 (41)	341 12.0 (28)	334 16.2 (34)	340 5.3 (55)	948	90.0 (9)	1,136	10.8 (56)
Health	3,031	62.8 (53)	1,965 20.0 (52)	1,869 11.8 (30)	1,902 9.0 (62)	1,937 5.2 (56)	5,048	85.1 (30)	6,191	9.1 (49)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 32
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)	Smoking in Household
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Jackson	390	75.1 (13)	293	22.2 (41)	290	12.1 (25)	279	17.6 (27)	280	9.6 (19)
Jefferson Cty	1,332	73.3 (20)	975	25.5 (23)	953	13.0 (20)	905	13.3 (45)	922	6.0 (53)
Juneau	902	70.3 (33)	688	18.9 (56)	705	8.8 (59)	667	17.1 (30)	678	7.7 (32)
Kenosha Cty	3,559	60.9 (61)	2,278	19.1 (55)	2,385	9.9 (51)	2,124	9.5 (60)	2,154	3.9 (64)
Kewaunee Cty	251	73.7 (19)	175	20.6 (46)	165	12.1 (25)	173	22.0 (14)	169	8.9 (25)
La Crosse Cty	1,889	68.4 (45)	1,256	23.7 (29)	1,223	13.1 (19)	1,137	18.8 (23)	1,133	11.2 (14)
Marinette	703	58.2 (66)	495	14.7 (64)	516	4.5 (68)	445	13.0 (47)	469	7.0 (42)
Menominee	388	70.9 (30)	308	20.5 (47)	331	10.3 (49)	279	9.7 (59)	291	4.5 (62)
Mil. City	6,238	62.5 (55)	4,445	15.8 (61)	4,623	9.5 (52)	4,125	6.7 (65)	4,368	3.6 (65)
MLK	2,248	55.6 (68)	1,592	10.7 (69)	1,714	5.8 (65)	1,420	5.4 (67)	1,529	2.5 (68)
Monitowoc	1,184	64.0 (52)	846	23.5 (32)	893	12.9 (22)	809	18.3 (25)	827	10.4 (15)
Monroe Cty	829	70.7 (32)	571	23.3 (34)	593	14.5 (13)	539	13.5 (44)	551	8.7 (26)
NEW Comm	4,704	66.0 (48)	3,266	20.8 (45)	3,380	10.5 (48)	2,991	11.7 (55)	3,075	6.5 (47)
	9,236	78.6 (60)	10,152	7.3 (32)						

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 33
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
NHA	3,392	58.3 (65)	2,183	20.1 (51)	2,237	11.7 (33)	2,096	9.4 (61)	2,130	5.0 (57)	5,836	82.1 (50)	7,057	7.7 (37)
NWCSA	952	71.0 (29)	696	22.4 (38)	718	11.0 (42)	696	20.7 (17)	689	13.2 (10)	1,798	82.4 (49)	2,083	7.7 (37)
Oconto Cty	502	61.2 (59)	346	13.6 (67)	348	6.6 (63)	322	10.6 (57)	339	4.7 (60)	949	77.9 (61)	1,072	12.0 (62)
Oneida	453	66.0 (48)	312	14.4 (65)	339	5.6 (66)	287	10.8 (56)	304	6.3 (51)	825	85.0 (31)	938	19.1 (70)
Oneida Cty	506	67.4 (46)	334	19.2 (54)	307	9.4 (54)	318	14.2 (42)	329	4.9 (59)	798	91.2 (7)	1,057	7.9 (40)
Outagamie	2,205	69.2 (40)	1,392	22.4 (38)	1,383	11.1 (40)	1,392	15.4 (36)	1,372	7.0 (42)	3,686	84.3 (34)	4,540	5.1 (9)
Pierce Cty	511	73.0 (21)	359	26.2 (20)	363	13.2 (18)	342	24.3 (6)	353	13.6 (9)	1,112	92.5 (2)	1,206	7.9 (40)
Polk Cty	792	78.3 (5)	573	27.1 (17)	543	11.0 (42)	573	24.8 (5)	556	9.5 (20)	1,448	82.1 (50)	1,696	7.0 (26)
Portage Cty	969	75.0 (14)	640	25.9 (21)	582	13.7 (15)	615	15.1 (38)	618	8.1 (31)	1,667	89.9 (10)	2,049	4.4 (6)
Price Cty	286	74.8 (16)	228	28.9 (11)	226	15.9 (7)	191	23.0 (10)	200	16.0 (2)	782	81.8 (52)	739	8.0 (43)
Racine	1,278	55.9 (67)	884	19.7 (53)	892	10.9 (45)	806	8.9 (63)	854	4.6 (61)	2,637	81.8 (52)	2,876	12.9 (64)
Rusk Cty	287	68.6 (43)	207	15.5 (62)	222	8.1 (61)	170	11.8 (54)	175	9.7 (18)	600	85.8 (26)	670	12.5 (63)
Sauk Cty	1,146	80.8 (2)	815	31.9 (5)	738	17.5 (5)	805	23.9 (8)	793	9.5 (20)	1,945	82.8 (45)	2,392	8.8 (47)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 34
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Sawyer Cty	290	77.6 (7)	230	22.6 (36)	234	12.0 (28)	215	19.5 (22)	218	8.7 (26)	693	85.4 (29)	706	8.8 (47)
Seeds	2,220	70.8 (31)	1,698	24.0 (25)	1,903	12.1 (25)	1,574	8.5 (64)	1,662	3.1 (66)	5,162	85.6 (27)	4,994	6.0 (16)
Shawano	564	62.8 (53)	407	17.0 (59)	450	10.2 (50)	372	12.9 (49)	391	8.4 (30)	1,356	87.7 (15)	1,341	8.6 (46)
Sheboygan	1,882	69.3 (39)	1,275	23.9 (26)	1,355	13.0 (20)	1,217	12.7 (50)	1,233	6.4 (48)	3,679	83.6 (40)	4,074	6.7 (24)
St. Croix Cty	932	77.6 (7)	630	27.8 (14)	598	15.6 (9)	599	25.5 (4)	613	13.7 (6)	1,734	82.5 (47)	2,075	4.0 (4)
SWCAP	1,020	71.9 (25)	719	26.4 (19)	686	11.5 (39)	685	16.2 (34)	687	6.4 (48)	1,866	86.1 (25)	2,136	5.8 (13)
Taylor Cty	367	74.1 (18)	246	28.5 (13)	243	11.1 (40)	232	23.7 (9)	235	14.9 (3)	643	79.5 (57)	775	9.5 (50)
Trempealeau	578	72.1 (24)	418	30.1 (8)	418	14.4 (14)	398	13.3 (45)	394	7.1 (39)	1,078	90.4 (8)	1,295	3.3 (1)
Vernon Cty	528	75.0 (14)	378	29.6 (9)	407	17.9 (4)	359	24.0 (7)	364	14.0 (5)	1,127	83.9 (37)	1,190	7.0 (26)
Vilas	211	60.7 (62)	161	23.6 (31)	161	11.8 (30)	145	17.9 (26)	153	11.8 (12)	445	83.8 (39)	477	6.9 (25)
Walworth Cty	1,604	78.3 (5)	1,156	32.1 (4)	1,064	15.7 (8)	1,098	21.8 (15)	1,119	8.5 (29)	3,071	85.6 (27)	3,540	6.4 (18)
Wash/Oz	1,690	76.0 (10)	1,106	29.5 (10)	1,100	15.6 (9)	1,110	22.4 (13)	1,086	9.4 (22)	2,939	88.4 (13)	3,580	5.9 (15)
Washburn Cty	302	75.8 (11)	232	31.9 (5)	227	13.7 (15)	200	26.0 (3)	205	13.7 (6)	668	67.8 (69)	698	3.4 (2)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 35
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Waukesha Cty	2,162	71.4 (28)	1,356	27.5 (15)	1,244	15.3 (11)	1,369	14.4 (41)	1,343	6.6 (46)	3,209	83.0 (44)	4,378	6.4 (18)
Waupaca Cty	734	64.9 (51)	485	22.5 (37)	491	11.0 (42)	468	15.4 (36)	468	9.4 (22)	1,142	88.7 (12)	1,522	10.4 (55)
Wee Care	6,416	62.1 (58)	4,517	14.8 (63)	4,785	6.3 (64)	4,203	5.6 (66)	4,407	2.3 (69)	12,113	79.2 (58)	13,608	9.9 (52)
West Allis	1,239	71.8 (26)	788	23.4 (33)	794	11.8 (30)	769	13.0 (47)	770	5.8 (54)	1,927	84.7 (32)	2,465	11.1 (58)
Winnebago	2,356	69.0 (41)	1,510	20.3 (50)	1,435	8.9 (58)	1,515	14.9 (40)	1,494	6.1 (52)	3,613	82.5 (47)	4,753	5.2 (11)
Wood Cty	1,294	59.0 (64)	851	22.2 (41)	815	10.7 (46)	834	20.4 (18)	808	12.9 (11)	2,029	86.3 (22)	2,578	7.4 (34)
Wisconsin	101,253	67.3	69,468	23.0	70,189	12.2	65,601	13.6	66,924	6.8	189,884	82.4	216,634	8.1

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

